

Vernici serie Hydro / Hydro coatings



Le vernici della serie Hydro seguono le mode di tendenza degli ultimi anni dove sono stati impiegati materiali diversi al posto del semplice legno come complementi di arredo. Sono state sviluppate vernici per vetro, microcemento, plastica e metalli diversi.

Sono disponibili le seguenti serie:

- Vernici per vetro HYDROGLASS
- Vernici per pavimenti in resina e microcemento HYDROCONCRETE
- Vernici per supporti plastici HYDROPLAST
- Vernici per supporti metallici HYDROMETAL




The Hydro coatings are special Vernites coatings that following “the fashion”; microcement, glass, plastic and metal are used with wood in indoor manufacture, and Hydro coatings design and protect these new materials.

The following series are available


- *Glass coats: brilliant, etched, pigmented HYDROGLASS*
- *Microcement, flooring resin and concrete substrate coats HYDROCONCRETE*
- *Coats for plastic substrate HYDROPLAST*
- *Coats for metallic substrate HYDROMETAL*



Vernici serie Hydroglass / Hydroglass coatings

Codice	Prodotto / Product	Gloss	Unità	packaging		Catalizzatore		Info
				Kg. 20	Kg. 5	Hardener	% in uso	
WHG100.30S.CLR	HYDROGLASS ACID BASE	30	Kg.			EVLINKER / AGGR.X VETRO	2% by weight / 2% by weight	Finitura trasparente per vetro effetto acidato. <i>Clear glass coat acid effect .</i>
WHG100.30S.WHT	HYDROGLASS BIANCO	30	Kg.					Laccatura x vetro effetto acidato. <i>White glass coat acid effect .</i>
WHG200.99S.CLR	HYDROGLASS LUX BASE	100	Kg.			EVLINKER / AGGR.X VETRO	2% by weight / 2% by weight	Finitura trasparente per vetro lucida. <i>Clear glass coat, high gloss .</i>

Vernici serie Hydroconcrete / Hydroconcrete coatings

Codice	Prodotto / Product	Gloss	Unità	packaging			Catalizzatore		Info
				Kg. 20	Kg. 5	Kg. 0,84	Hardener	% in uso	
WHC000.00S.CLR	HYDROCONCRETE PRIMER CLEAR		Kg.						<p>Fondo isolante monocomponente. Facile applicazione, rapida essiccazione, isola le sostanze contenute nel microcemento.</p> <p>Monocomponent primer isolator. <i>Very easy application, very good sealer for microcement substrate.</i></p>
WHC100.XXS.CLR	HYDROCONCRETE PUR OPAL 2K CLEAR	05-15-30- 50-100	Kg.				CW 7800	20% in peso 20% by weight	<p>Finitura bicomponente altissima qualità. Facile applicazione, elevatissime resistenze chimico-fisiche, ideale per proteggere microcemento e resine.</p> <p>Two-component topcoat. <i>Very easy application, very high chemical and physical resistance. Suitable for domestic and high traffic use, ideal for microcement and resins substrate.</i></p>