

# Finiture per interno / *Indoor topcoats*



Le finiture per interno sono prodotti sviluppati per offrire la massima resistenza chimico-fisica, dare un aspetto morbido al tatto, durezza al graffio; unisce, in pratica, l'utile al dilettevole. Si differenziano per la differente viscosità in applicazione, per il residuo solido, e il grado di resistenza offerto.

Sono disponibili le seguenti serie:










- Finiture bassa viscosità trasparenti mono / bicomponenti
- Finiture tixotropiche trasparenti mono / bicomponenti
- Finiture bassa viscosità bianchi mono / bicomponenti
- Finiture tixotropiche bianche mono / bicomponenti

*The topcoats for interior are designed to protect over time and wear, have the maximum possible chemical and physical resistance, offer a smooth, silky touch, scratch resistance, conjugating pleasant feeling with technical facts. The various products differ for viscosity, solids, and resistance.*











The following series are available

- *Low viscosity clear topcoats single and two-component*
- *Thixotropic clear topcoats single and two-component*
- *Low viscosity white topcoats single and two-component*
- *Thixotropic white topcoats single and two-component*








# Finiture per interno / Indoor topcoats

Codice	Prodotto / Product	Gloss	Unità	packaging			Catalizzatore		Info
				Kg. 20	Kg. 5	Kg. 1	Hardener	% in uso	
WIT922.XXS.CLR	<b>ACQUAEUROPE CLEAR</b>	15-30-50-100	Kg.				CW 7500/ CW 7600	5% in peso – 5% by weight	<b>Fondo-Finitura mono / bicomponente tixotropico.</b> <i>One- and two-component self-sealer, tixo.</i>
WIT923.XXS.CLR	<b>ACQUASTAIRS CLEAR</b>	15-30-50-100	Kg.				CW 7500/ CW 7600	5% in peso – 5% by weight	<b>Fondo-finitura a poro aperto.</b> Certificato EN 71-3. <i>One- and two-component self-sealer. Certified EN-71-3.</i>
WIT927.XXS.CLR	<b>ACQUASOYZ CLEAR</b>	15-30-50-100	Kg.				CW 7500/ CW 7600	5% in peso – 5% by weight	<b>Fondo-finitura a poro aperto.</b> Certificato contatto alimentare. Certificato EN 71-3. <i>One- and two-component self-sealer. Certified food contact. Certified EN-71-3.</i>
WIT932.XXS.CLR	<b>ACQUACOAT CLEAR</b>	05-15-30- 50-100	Kg.				EVLINKER	1-2% in peso 1-2% by weight	<b>Finitura monocomponente tixo alta copertura.</b> Resistente alle creme. Certificato EN 71-3. <i>Single component topcoat, tixo. Hand cream resistant. Certified EN-71-3.</i>
WIT962.XXS.CLR	<b>A.FLOOR RESIDENTIAL CLEAR</b>	10-30- 50-100	Lt.				EVLINKER	1-2% in peso 1-2% by weight	<b>Fondo-Finitura monocomponente per parquet.</b> Certificato EN 71-3. <i>Single component self-sealer for parquet, roller application. Certified EN-71-3.</i>









# Finiture per interno / Indoor topcoats

Codice	Prodotto / Product	Gloss	Unità	packaging			Catalizzatore		Info
				Kg. 20	Kg. 5	Kg. 0,84	Hardener	% in uso	
WIT982.XXS.CLR	<b>ACQUAPUR STONE 2K CLEAR</b>	15-30- 50-100	Kg.				CW 7600 / CW 7800	10% in peso 10% by weight	<b>Veicolo tixotropico bicomponente.</b> Rapida essiccazione e ottima resistenza al blocking <b>Two-component topcoat converter.</b> Excellent tixotropico and no blocking.
WIT983.XXS.CLR	<b>ACQUAPUR OPAL 2K CLEAR</b>	05-15-30- 50-100	Kg.				CW 7800	20% in peso 20% by weight	<b>Finitura bicomponente altissima qualità.</b> Certificata EN-71. Certificazione Catas Quality Award per interno. Certificata contatto alimentari. <b>Two-component topcoat , premium quality.</b> Certified EN-71-3, Food contact. Catas Quality Award for interior use. 
WIT991.99S.CLR	<b>ACQUAPUR BRIGHT 2K CLEAR</b>	100	Kg.				CW 7800	30% in peso 30% by weight	<b>Finitura bicomponente alta qualità lucida.</b> <b>Two-component high gloss topcoat.</b> Premium quality.
WIT965.XXS.CLR	<b>A.PUR FLOOR GRAPHITE 2K CLEAR</b>	10-30- 50-100	Kg.				CW 7700	10% in peso 10% by weight	<b>Fondo-Finitura bicomponente per parquet.</b> Certificato EN 71-3. <b>Two component self-sealer for parquet, roller application.</b> Certified EN-71-3.

# Finiture per interno / Indoor topcoats

Codice	Prodotto / Product	Gloss	Unità	packaging			Catalizzatore		Info
				Kg. 20	Kg. 5	Kg. 1	Hardener	% in uso	
WIT923.20S.WHT	<b>ACQUALACK BIANCO</b>	20-100	Kg.				CW 7500 / CW 7600	5% in peso 5% by weight	<b>Finitura bianca mono / bicomponente alta qualità.</b> <i>One- and two-component white topcoat. High quality.</i>
WIT927.XXS.WHT	<b>ACQUASOYZ LACK BIANCO</b>	15-30- 50-100	Kg.				CW 7500 / CW 7600	5% in peso 5% by weight	<b>Finitura bianca mono / bicomponente a poro aperto.</b> <i>One- and two-component white topcoat, open pore.</i>
WIT932.XXS.WHT	<b>ACQUACOAT LACK BIANCO</b>	05-15-30- 50-100	Kg.				EVLINKER	1-2% in peso 1-2% by weight	<b>Finitura bianca tixotropica monocomponente.</b> Resistente alle creme. <i>Single component white topcoat, tixotropic. Hand cream resistant.</i>

# Finiture per interno / Indoor topcoats

Codice	Prodotto / Product	Glos s	Unità	packaging				Catalizzatore		Info
				Kg. 20	Kg. 5	Kg. 2,5	Kg. 1	Hardener	% in uso	
WIT982.XXS.WHT	<b>A.PUR STONE LACK 2K BIANCO</b>	15-30- 50-100	Kg.					CW 7600 / CW 7800	10% in peso 10% by weight	<b>Finitura bianca tixotropica bicomponente.</b> Rapida essiccazione e ottima resistenza al blocking <b>Two-component white topcoat.</b> <i>Fast dry and non-blocking.</i>
WIT983.XXS.WHT	<b>ACQUAPUR OPAL 2K BIANCO</b>	15-30-50	Kg.					CW 7800	20% in peso 20% by weight	<b>Finitura bianca opaca bicomponente, alta qualità.</b> <b>Two-component white topcoat.</b> <i>Premium quality.</i>
WIT991.99S.WHT	<b>ACQUAPUR BRIGHT 2K BIANCO</b>	100	Kg.					CW 7800	30% in peso 30% by weight	<b>Finitura bianca lucida bicomponente, alta qualità.</b> <b>Two-component white high gloss topcoat.</b> <i>Premium quality.</i>